

The wuppdj cargo trailer

DURABLE | FUNCTIONAL | LOW-MAINTENANCE

PRODUCT

We offer you the perfect solution for transporting goods by bicycle - with a special focus on durability, functionality and ease of maintenance.

The wuppdj cargo trailer is characterized by numerous unique selling points: including an impressive payload of 300 kg, durable aluminum rims and a universal quick-release coupling that does not require an additional coupling on the bicycle. Crucial components such as the powerful, low-maintenance hydraulic braking system originate from the motorcycle sector and are automatically activated by the overrun brake. Thus, even with a high load, safe braking is guaranteed at all times. In addition, the wuppdj offers a lockable storage compartment in the front area of the trailer to stow your equipment protected from the weather.


The dimensions of the loading area are adapted to the Euronorm containers commonly used in delivery traffic. With a steering unit that can be turned over 180°, the wuppdj has optimum maneuverability and can turn almost on the spot if necessary. In pedestrian zones, the trailer can be used as a hand cart. For this purpose, the overrun brake offers ergonomic handles and a brake lever with locking function. The robust wheel deflectors always ensure a safe ride, even in narrow passages. At the end of the working day, the wuppdj can be stored vertically to save space by standing it upright on the rubber bumpers on the rear loading sill. Invest in the wuppdj cargo trailer now and use the safe, reliable and efficient solution for transporting goods by bicycle.

And best of all: the wuppdj cargo trailer is now available in different versions, starting with the basic version and ending with the lockable, waterproof box.


We look forward to accelerating the change in transport together with you.



PRODUCT



PRODUCT




VARIATIONS

LEVEL 1

welded steel frame
 powder coating RAL 5015
 universal coupling
 overrun brake
 hydraulic brake system
 robust aluminum rims
 lockable storage compartment
 stainless steel mudguards
 lighting system (rear lights,
 reflectors front/rear)
 loading area (66 x 165 cm)
 loading volume up to 1,5 m³
 load capacity up to 300 kg

3.999,00 € RRP (incl. VAT)
 3.360,50 €* RRP net




LEVEL 2

Level 1

+ **side panel**
 loading area (65 x 165 cm)
 material: hard PVC
 - light
 - robust
 - weatherproof

4.199,00 € RRP (incl. VAT)
 3.528,57 €* RRP net



VARIATIONS

LEVEL 3

Level 1

+ box

waterproof
extra storage compartment
Interior dimensions (LxWxH):
165 x 65 x 60 cm
loading volume: 0,65 m³
materials: hard PVC,
aluminum

+ tarpaulin

high quality 680g/m² PVC
premium quality
round eyelets + expander rope

5.299,00 €
4.452,94 €*
RRP (incl. VAT)
RRP net

RRP (incl. VAT)
RRP net



LEVEL 4

Level 1

+ box

lockable
waterproof
extra storage compartment
Interior dimensions (LxWxH):
165 x 65 x 60 cm
loading volume: 0,65 m³
materials: hard PVC,
aluminum

5.499,00 €
4.621,01 €*
RRP (incl. VAT)
RRP net

RRP (incl. VAT)
RRP net



ADDITIONS

Frame color

RAL 5015	included
Other RAL colors	249,00 €* net
Special colors	on demand

Tarpaulin color

RAL 5015	included
Selected RAL colors	49,00 €* net

Drawbar

Special production of a short, straight drawbar	inclusive
---	------------------

* Prices ex works
(excl. shipping and packing)

TECHNICAL DATA

Producer	wuppdj design and engineering UG
Dimensions (L x W x H)	2368 mm x 976 mm x 695 mm
Loading area (L x B)	1650 mm x 650 mm
Width at rear axle	976 mm
Ground clearance	210 mm
Payload	300 kg
Loading volume	1,5 m ³ at approx. 1.4 m loading height
Empty weight	65 kg
Wheelbase	1728 mm
Turning circle	appr. 230 cm
Brake system	2 x hydraulic 2-piston calipers, 200mm brake discs
Wheels	16 inch aluminum rim, 2.50-16 inch tires
Materials	
Frame, welded CNC bent parts	Steel, rectangular tube, custom design
Fork, welded	Steel, round tube, custom design
Overrun brake/guard plates	Stainless steel V4A
Drawbar	Aluminum
Sidewall cladding	Hard-PVC
Bottom panel	wood panels glued waterproof, 9 mm
Approval	according to German road traffic regulations
Lighting system	Rear lights from Busch + Müller
Reflectors	2 x rear, 2 x front
Delivery time	12 weeks

TECHNICAL DATA

